

Peace of Moisture Mind[®]

Moisture damage prevention process



Step 1: Audit



- Finding the root cause for excess moisture.
- Evaluation of current desiccant solution.
- Corrective actions proposal.

Peace of Moisture Mind[®] - POMM

A well-executed moisture damage prevention strategy is much more than just “adding a few desiccants”. POMM is Absortech’s step-by-step process, based on knowledge gained over decades. It covers the customer’s entire Supply Chain from their upstream supplies through packaging, loading, and shipping as well as the amount and types of desiccants to be used and how to make sure they are made available when needed and that loading, and packaging personnel are duly educated. All this to ensure goods arrive in perfect condition and that the buyer is satisfied.

The POMM steps can be used one-by-one, or seamlessly linked in an **AbsorTotal™**.



Step 1: Audit

The purpose of the audit is to ensure excess moisture is not added during the packaging process. Reducing excess moisture may lead to less desiccants needed, consequently generating gains in both cost and sustainability.

Furthermore, it is important to make sure the packaging and loading process is under control and systematized. If not, the desiccant dimensioning becomes more complicated.

Last, but not least, we control if the currently used protection(s) is still functional and sustainable. Neither over-, nor under dimensioned.

The AbsorAudit™ can be made in two ways:

- **COMPLETE – at site: An Absortech specialist will 'walk-the-packaging' together with a customer representative at the customer's site.**
- **LITE – web based: The customer will provide Absortech with a set of input data guided by a questionnaire in combination with web meetings.**

Regardless, findings will be presented in a report and is normally followed up by a review meeting.

AUDIT INPUT

- **Assessing the packaging process (from inbound via production and packaging to container loading).**
- **Evaluation of current solution.**
- **Using an audit questionnaire to document findings and complement with photographs.**

AUDIT OUTPUT

- **Audit report with corrective actions proposals.**
- **Provides data used in POMM STEP 2: DIMENSIONING.**

AbsorAudit™ LITE is a complementary offering whereas COMPLETE is quoted on request.

POMM CONCEPTS USED:



Audit in practice



Assessment

AbsorAudit™ - Complete takes place at the customer’s premises and the AbsorAudit™ Lite is completed online. Either way, a comprehensive audit questionnaire is used to review 13 areas. In total approx. 60 questions are evaluated, and the result is documented and backed up by photos. Each question is scored by an impact weight, resulting in a score per department and a total for the company is created.

Report

An Absortech expert will review the results and propose corrective actions and a summary conclusion. In addition to the summary, documents shown below, the complete report will contain score per question, comments to scores and relevant photo documentation.




Figure 1: Extract from AbsorAudit report.



Figure 2: Extract from AbsorAudit report.

Review

The ‘REPORT’ is followed up with concerned stakeholders from. Whether or not corrective actions need to be implemented will have bearing on POMM Step 2, DIMENSION. And consequently, the type and amount of desiccants needed.

The review can be conducted face-to-face, but a web meeting is recommended to ensure stakeholders can attend regardless of geographical position.



MORE INFORMATION

- Click [here](#) to get in contact with Absortech Group COO.
- Click [here](#) to get in touch with an Absortech sales representative.